

LEIDINIO STRUKTŪRA

doc. dr. Artūras Bautrėnas

Bet kokį leidinį galima suskirstyti į 4 pagrindines dalis :

I. Viršelis

II. Įžanginė dalis

III. Pagrindinis leidinio turinys (tema)

IV. Baigiamoji dalis

I. Viršelis


Viršelis, tai leidinio veidas. Tai tas pats, kas paveikslui rėmai.



Viršeliai gali būti:

1. Minkšti (iki 0.5 mm storio)

2. Kieti (virš 0.5 mm storio)



Viršelio paskirtis:



1. Apsauginė



Apsaugoti leidinio turinį nuo nepageidautino poveikio, t.y. nuo pažeidimų.

2. Informacinė

2.1 Informacija vartotojui



Kad būtų galima orientuotis kokia tai knyga ir koks jos tikėtinas turinys (tai dažniausiai būna priekinis leidinio viršelis)

3. Reklaminė (tai dažniausiai būna galinis leidinio viršelis)



Dažniausiai pateikiama trumpa informacija apie leidėją ir autorių, reklamuojamos kitos leidėjo knygos ir t.t.

II. Įžanginė dalis

Įžanginės dalies paskirtis – parengti skaitytoją leidinio turinio ir jo vertės suvokimui.

Įžanginė dalis:

1. Avantitulas
2. Kontrtitulas
3. Titulinis lapas
4. Turinys
5. Pratarmė
6. Įvadas


1. Avantitulas

[pranc. *Avant* – priekis, priešakinė dalis + lot. *Titulus* – knygos antraštė, pavadinimas]

Avantitulas tai antra priekinio viršelio pusė arba atskiras lapas, tada tai pirmasis knygos puslapis esantis prieš titulinį lapą

Avantitule dažniausiai būna:

1.1 Leidybinis ženklas




1.2 Epigrāfas

[gr. *Epigraphē* – įrašas, užrašas]



1.3 Dedicacija [lot. *dedicatio* – paskyrimas]



1.4 Prieš antraštiniai duomenys

(Pvz. Duomenys, kad tai kažkuris leidinys iš kažkokios knygų serijos)



1.5 Visai tuščias. Tada tai tik kaip apsauga tituliniam puslapiui.


2. Kontrtitulas

[kontr... [lot. *contra* – prieš] titulas [lot. *titulus* – knygos antraštė, pavadinimas]

Jei *avantitulas* yra kaip atskiras lapas, tai jo antroji pusė vadinama *kontrtitulu*

Kontrtitule gali būti:

- 2.1 Visų autoriaus išleistų knygų sąrašas
- 2.2 Duomenys apie leidinį ir leidėją
- 2.3 Dažniausiai tai būna originalo, iš kurio darytas vertimas, titulinis puslapis
- 2.4 Gali likti tuščias



3. Titulinis lapas

Pirmoji titulinio lapo pusė

Dažniausiai jame būna: meniškai (paryškintas) kūrinio pavadinimas, autorius, leidėjas, leidybos metai ir *frontispisas*.



Antroji titulinio lapo pusė

3.1 Autorinių teisių apsaugos ženklas ©

3.2 Originalo ir šios knygos ISBN numeris

3.3 Duomenys bibliotekų katalogui

3.4 Trumpa knygos anotacija

3.5 Pagrindiniai duomenys apie leidinį

Frontispisas - paveikslėlis esantis tituliniam lape
[pranc. *frontispice* < lot. *Fron* – kaktas + *aspicio* – žiūriu]

Viršutinė kairioji Titulinio lapo dalis

Centrinė Titulinio lapo dalis

Frontispisui gali būti skirtas ir kontrtitulas


4. Turinys

Tai leidinio skyrių ir poskyrių sąrašas

Jei tai kartografinis leidinys (pvz. atlasas) su daug iliustracijų, tai vietoje turinio gali būti pateikiamas visų iliustracijų (žemėlapių) sąrašas.

5. Pratomė



Kaip taisyklė, pratomėje būna iškart po turinio, bet gali būti ir prieš turinį, kai norima skaitytoją paruošti netradiciniam leidiniui ar jo turiniui.



Pratomėje dažniausiai aprašoma leidinio paskirtis, leidinio turinio ypatumai, struktūra.

6. Įvadas

Skirtas leidinio temos atskleidimui



Įvadą dažniausiai rašo autorius. Tradiciškai visada pradedamas naujame puslapyje.

III. Pagrindinis leidinio turinys (tema)

Kadangi pagrindinis tekstas ar kita informacija yra leidinio esmė, todėl šios dalies dizainas turi ypatingą reikšmę.



Tai bendras Autoriaus + Redaktoriaus + Maketuotojo darbas

IV. Baigiamoji dalis

Kaip ir įžanginė dalis ji gali būti komplektuojama įvairiai.

Tradiciškai gali būti...

4.1 Baigiamasis žodis arba REZIUOMÉ Reziumė [pranc. résumé] – baigiamasis žodis

Tai trumpa leidinio santrauka apibendrinanti leidinio turinį

Reziumė
Iš viso tai galima daryti išvadai: restauruoti stogus galima ekonomiška ir ekologiška optimaliai uždengiant juos Volfine. Tai galima patvirtinti sveiki stogai, išsitarėti jo likusiai pronačiai ir pagerinti jo paprastose aplinkybėse, užtikrinant ligalaukio patikimą klijavimą. Ir kai pagrindas pertrūkęs, nesudaro pūslės, bijo nema daugiausia perforuota, kaip ir rekomenduojama. Ža Volfine naujajai beti išaukšta medžiaga restauravimui. Tai kaip pat užtikrina jo panaudojimą naujose statybose. Tuo pačiu sąlygomis, užtikrinantis nemu dangų išdžiūvimą, nusiūgus ir tada, kai pav. statybos metu reikia lietai. Kai iš pat pradžių apsuprenda dėl Volfine, tam skaituoti statybos išlaikyti dangų ilgą laiką. Volfine dangų galima dengti metalo, bet senas lietus, vėlesnius, vandens, ar gerai patsilgti. Uždarę ta likutinė drėgnė ligarūs.
Volfine sistema išna atveju: ne tik formos, bet ir patys, bet apskrities saugojimo, net ir vėlydėjas, išvengiantis bei naudojantis yra užtikrinantis savo darbo sėkmę.



Reziumė gali būti labai trumpa, t.y. tik viena frazė simbolizuojanti visą leidinio medžiagą ir parašyta keliomis kalbomis

4.2 Priedai

Tai papildoma medžiaga (pagalbinė informacija) susieta pagrindine leidinio tema



Pavyzdžiui, jei leidinys - prekybos firmų atlasas, tai priedas – jų prekių ženklų pavyzdžiai

4.3 Komentarai [lot. commentarium – pastabos, užrašai]

Tai aiškinančios pastabos praplečiančios žinias, bet neturinčios įtakos pagrindiniam tekstui (pvz. Valdovų sarašas)



Jie gali būti sukaupti knygos pabaigoje, arba pateikiami iškart reikiamame puslapyje

4.4 Terminų sąrašas arba Glosarijus [lot. glossa – senas arba retas žodis]

Retai vartojamų žodžių, frazių, terminų, simbolių aiškinamasis žodynas



4.5 Žodynėlis

Sąrašas užsienietišku ar tarptautinių žodžių išdėstytas abėcėline tvarka su vertimais



4.6 Bibliografija arba Literatūros sąrašas [gr. *biblion* – knyga + gr. *graphō* – rašau]

1. Bionskis J., Baniotis K. ir kt. Programų kūrimas. – Kauras: Technologija, 1996.
2. Brazdeikis V. Informatika / Bandomoji mokymo priemonė. – Vilnius, 1994.
3. Papeckys K. Nuo strelės iki knygos. – Vilnius: Vaga, 1964.

Sąrašas knygų naudotų (arba rekomenduojamų) kaip papildomas informacijos šaltinis aprašomai temai.

4.7 Dalykinė rodyklė

Reikšminių žodžių sąrašas, išdėstytas abėcėline tvarka su nuorodomis į knygos puslapij

Dalykinė rodyklė	
Arterija	136
Atmintis	218
Baltymai	37, 96
Bronchai	152
Cholesterolis	97
Citoplazma	36
Dryglumas	38
Donoras	126
Emocijos	223
Eritrocitai	123
Fagocitai	132
Fiziologija	27
Galenas	249

4.8 Kolofonas (Savireklama)

kolofonas [lot. *colophon* < gr. *kolophōn* – viršūnė]

Informaciją apie save (leidėją), jau išleistas ar planuojamas leisti knygas, kur ir kaip galima nusipirkti ir t.t.

4.9 Metrika arba “knygos pasas”



Dažniausiai tai būna paskutinis knygos puslapis prieš viršėlį.

Metrikoje įrašoma:

1. Autorius
2. Knygos pavadinimas
3. Asmenys prisidėję prie knygos išleidimo
4. Techniniai leidybinių knygos duomenys
5. Leidinio kiekybinės charakteristikos
6. Spaustuvės ir leidyklos pavadinimai bei adresai

4.10 Errata (Pastebėtų klaidų sąrašas su atitaisymais)


Errata [lot. *Erratos* - klaida]

ERRATA.
Page 11, lines 11 and 12, omit the words “and still-births.”
Page 49, on last line, for “seventy-five hundredths of one person,” read “seventy-five thousandths of one person.”
Page 61, Table No. 9, in month of December, second column, for “200,” read “290,” and in same table, seventh column, the total should read “161,” instead of “15.”

Case No.	For	Read
Case 11 121	Section 121 in Division No. 124 BA	11-121 121
Case 14 122	For bridge decks with prestressed beams and concrete deck slab, R_c can be replaced as prescribed:	For bridge decks with prestressed beams and concrete deck slab, R_c can be replaced as prescribed:
M_c	= ultimate design moment acting on the present section slab	M_c = ultimate design moment acting on the present section slab
E_c	= ultimate design flexure acting on the present section slab	E_c = ultimate design flexure acting on the present section slab
S_c	= Section moment of area of present section slab	S_c = Section moment of area of present section slab
S_{c0}	= Section moment of area of composite section	S_{c0} = Section moment of area of composite section
σ_{c0}	= first moment of area about composite centroid for present section slab	σ_{c0} = first moment of area about composite centroid for present section slab
σ_{c00}	= first moment of area about composite centroid for present section slab	σ_{c00} = first moment of area about composite centroid for present section slab
f_{c0}	= stress at composite centroid due to M_c	f_{c0} = stress at composite centroid due to M_c . Compressive stresses are positive
f_{c00}	= stress at composite centroid due to prestress	f_{c00} = Compressive stress at composite centroid due to prestress
f_{c01}	= stress at composite centroid due to M_c and P	f_{c01} = $f_{c0} + f_{c00}$
f_{c02}	= stress at composite centroid due to P	f_{c02} = $-f_{c00}$
f_{c03}	= stress at composite centroid due to M_c	f_{c03} = $f_{c01} - f_{c02}$
f_{c04}	= stress at composite centroid due to M_c	f_{c04} = $f_{c03} - f_{c02}$
f_{c05}	= stress at composite centroid due to M_c	f_{c05} = $f_{c04} - f_{c02}$
f_{c06}	= stress at composite centroid due to M_c	f_{c06} = $f_{c05} - f_{c02}$
f_{c07}	= stress at composite centroid due to M_c	f_{c07} = $f_{c06} - f_{c02}$
f_{c08}	= stress at composite centroid due to M_c	f_{c08} = $f_{c07} - f_{c02}$
f_{c09}	= stress at composite centroid due to M_c	f_{c09} = $f_{c08} - f_{c02}$
f_{c10}	= stress at composite centroid due to M_c	f_{c10} = $f_{c09} - f_{c02}$
f_{c11}	= stress at composite centroid due to M_c	f_{c11} = $f_{c10} - f_{c02}$
f_{c12}	= stress at composite centroid due to M_c	f_{c12} = $f_{c11} - f_{c02}$
f_{c13}	= stress at composite centroid due to M_c	f_{c13} = $f_{c12} - f_{c02}$
f_{c14}	= stress at composite centroid due to M_c	f_{c14} = $f_{c13} - f_{c02}$
f_{c15}	= stress at composite centroid due to M_c	f_{c15} = $f_{c14} - f_{c02}$
f_{c16}	= stress at composite centroid due to M_c	f_{c16} = $f_{c15} - f_{c02}$
f_{c17}	= stress at composite centroid due to M_c	f_{c17} = $f_{c16} - f_{c02}$
f_{c18}	= stress at composite centroid due to M_c	f_{c18} = $f_{c17} - f_{c02}$
f_{c19}	= stress at composite centroid due to M_c	f_{c19} = $f_{c18} - f_{c02}$
f_{c20}	= stress at composite centroid due to M_c	f_{c20} = $f_{c19} - f_{c02}$
f_{c21}	= stress at composite centroid due to M_c	f_{c21} = $f_{c20} - f_{c02}$
f_{c22}	= stress at composite centroid due to M_c	f_{c22} = $f_{c21} - f_{c02}$
f_{c23}	= stress at composite centroid due to M_c	f_{c23} = $f_{c22} - f_{c02}$
f_{c24}	= stress at composite centroid due to M_c	f_{c24} = $f_{c23} - f_{c02}$
f_{c25}	= stress at composite centroid due to M_c	f_{c25} = $f_{c24} - f_{c02}$
f_{c26}	= stress at composite centroid due to M_c	f_{c26} = $f_{c25} - f_{c02}$
f_{c27}	= stress at composite centroid due to M_c	f_{c27} = $f_{c26} - f_{c02}$
f_{c28}	= stress at composite centroid due to M_c	f_{c28} = $f_{c27} - f_{c02}$
f_{c29}	= stress at composite centroid due to M_c	f_{c29} = $f_{c28} - f_{c02}$
f_{c30}	= stress at composite centroid due to M_c	f_{c30} = $f_{c29} - f_{c02}$
f_{c31}	= stress at composite centroid due to M_c	f_{c31} = $f_{c30} - f_{c02}$
f_{c32}	= stress at composite centroid due to M_c	f_{c32} = $f_{c31} - f_{c02}$
f_{c33}	= stress at composite centroid due to M_c	f_{c33} = $f_{c32} - f_{c02}$
f_{c34}	= stress at composite centroid due to M_c	f_{c34} = $f_{c33} - f_{c02}$
f_{c35}	= stress at composite centroid due to M_c	f_{c35} = $f_{c34} - f_{c02}$
f_{c36}	= stress at composite centroid due to M_c	f_{c36} = $f_{c35} - f_{c02}$
f_{c37}	= stress at composite centroid due to M_c	f_{c37} = $f_{c36} - f_{c02}$
f_{c38}	= stress at composite centroid due to M_c	f_{c38} = $f_{c37} - f_{c02}$
f_{c39}	= stress at composite centroid due to M_c	f_{c39} = $f_{c38} - f_{c02}$
f_{c40}	= stress at composite centroid due to M_c	f_{c40} = $f_{c39} - f_{c02}$
f_{c41}	= stress at composite centroid due to M_c	f_{c41} = $f_{c40} - f_{c02}$
f_{c42}	= stress at composite centroid due to M_c	f_{c42} = $f_{c41} - f_{c02}$
f_{c43}	= stress at composite centroid due to M_c	f_{c43} = $f_{c42} - f_{c02}$
f_{c44}	= stress at composite centroid due to M_c	f_{c44} = $f_{c43} - f_{c02}$
f_{c45}	= stress at composite centroid due to M_c	f_{c45} = $f_{c44} - f_{c02}$
f_{c46}	= stress at composite centroid due to M_c	f_{c46} = $f_{c45} - f_{c02}$
f_{c47}	= stress at composite centroid due to M_c	f_{c47} = $f_{c46} - f_{c02}$
f_{c48}	= stress at composite centroid due to M_c	f_{c48} = $f_{c47} - f_{c02}$
f_{c49}	= stress at composite centroid due to M_c	f_{c49} = $f_{c48} - f_{c02}$
f_{c50}	= stress at composite centroid due to M_c	f_{c50} = $f_{c49} - f_{c02}$
f_{c51}	= stress at composite centroid due to M_c	f_{c51} = $f_{c50} - f_{c02}$
f_{c52}	= stress at composite centroid due to M_c	f_{c52} = $f_{c51} - f_{c02}$
f_{c53}	= stress at composite centroid due to M_c	f_{c53} = $f_{c52} - f_{c02}$
f_{c54}	= stress at composite centroid due to M_c	f_{c54} = $f_{c53} - f_{c02}$
f_{c55}	= stress at composite centroid due to M_c	f_{c55} = $f_{c54} - f_{c02}$
f_{c56}	= stress at composite centroid due to M_c	f_{c56} = $f_{c55} - f_{c02}$
f_{c57}	= stress at composite centroid due to M_c	f_{c57} = $f_{c56} - f_{c02}$
f_{c58}	= stress at composite centroid due to M_c	f_{c58} = $f_{c57} - f_{c02}$
f_{c59}	= stress at composite centroid due to M_c	f_{c59} = $f_{c58} - f_{c02}$
f_{c60}	= stress at composite centroid due to M_c	f_{c60} = $f_{c59} - f_{c02}$
f_{c61}	= stress at composite centroid due to M_c	f_{c61} = $f_{c60} - f_{c02}$
f_{c62}	= stress at composite centroid due to M_c	f_{c62} = $f_{c61} - f_{c02}$
f_{c63}	= stress at composite centroid due to M_c	f_{c63} = $f_{c62} - f_{c02}$
f_{c64}	= stress at composite centroid due to M_c	f_{c64} = $f_{c63} - f_{c02}$
f_{c65}	= stress at composite centroid due to M_c	f_{c65} = $f_{c64} - f_{c02}$
f_{c66}	= stress at composite centroid due to M_c	f_{c66} = $f_{c65} - f_{c02}$
f_{c67}	= stress at composite centroid due to M_c	f_{c67} = $f_{c66} - f_{c02}$
f_{c68}	= stress at composite centroid due to M_c	f_{c68} = $f_{c67} - f_{c02}$
f_{c69}	= stress at composite centroid due to M_c	f_{c69} = $f_{c68} - f_{c02}$
f_{c70}	= stress at composite centroid due to M_c	f_{c70} = $f_{c69} - f_{c02}$
f_{c71}	= stress at composite centroid due to M_c	f_{c71} = $f_{c70} - f_{c02}$
f_{c72}	= stress at composite centroid due to M_c	f_{c72} = $f_{c71} - f_{c02}$
f_{c73}	= stress at composite centroid due to M_c	f_{c73} = $f_{c72} - f_{c02}$
f_{c74}	= stress at composite centroid due to M_c	f_{c74} = $f_{c73} - f_{c02}$
f_{c75}	= stress at composite centroid due to M_c	f_{c75} = $f_{c74} - f_{c02}$
f_{c76}	= stress at composite centroid due to M_c	f_{c76} = $f_{c75} - f_{c02}$
f_{c77}	= stress at composite centroid due to M_c	f_{c77} = $f_{c76} - f_{c02}$
f_{c78}	= stress at composite centroid due to M_c	f_{c78} = $f_{c77} - f_{c02}$
f_{c79}	= stress at composite centroid due to M_c	f_{c79} = $f_{c78} - f_{c02}$
f_{c80}	= stress at composite centroid due to M_c	f_{c80} = $f_{c79} - f_{c02}$
f_{c81}	= stress at composite centroid due to M_c	f_{c81} = $f_{c80} - f_{c02}$
f_{c82}	= stress at composite centroid due to M_c	f_{c82} = $f_{c81} - f_{c02}$
f_{c83}	= stress at composite centroid due to M_c	f_{c83} = $f_{c82} - f_{c02}$
f_{c84}	= stress at composite centroid due to M_c	f_{c84} = $f_{c83} - f_{c02}$
f_{c85}	= stress at composite centroid due to M_c	f_{c85} = $f_{c84} - f_{c02}$
f_{c86}	= stress at composite centroid due to M_c	f_{c86} = $f_{c85} - f_{c02}$
f_{c87}	= stress at composite centroid due to M_c	f_{c87} = $f_{c86} - f_{c02}$
f_{c88}	= stress at composite centroid due to M_c	f_{c88} = $f_{c87} - f_{c02}$
f_{c89}	= stress at composite centroid due to M_c	f_{c89} = $f_{c88} - f_{c02}$
f_{c90}	= stress at composite centroid due to M_c	f_{c90} = $f_{c89} - f_{c02}$
f_{c91}	= stress at composite centroid due to M_c	f_{c91} = $f_{c90} - f_{c02}$
f_{c92}	= stress at composite centroid due to M_c	f_{c92} = $f_{c91} - f_{c02}$
f_{c93}	= stress at composite centroid due to M_c	f_{c93} = $f_{c92} - f_{c02}$
f_{c94}	= stress at composite centroid due to M_c	f_{c94} = $f_{c93} - f_{c02}$
f_{c95}	= stress at composite centroid due to M_c	f_{c95} = $f_{c94} - f_{c02}$
f_{c96}	= stress at composite centroid due to M_c	f_{c96} = $f_{c95} - f_{c02}$
f_{c97}	= stress at composite centroid due to M_c	f_{c97} = $f_{c96} - f_{c02}$
f_{c98}	= stress at composite centroid due to M_c	f_{c98} = $f_{c97} - f_{c02}$
f_{c99}	= stress at composite centroid due to M_c	f_{c99} = $f_{c98} - f_{c02}$
f_{c100}	= stress at composite centroid due to M_c	f_{c100} = $f_{c99} - f_{c02}$


Teksto rinkimas ir maketavimas

Tekstas – tai simbolių (raidžių, skaičių, skrybos ženklų, spec. simbolių) rinkiniai, kuriuos galima skaidyti į loginius fragmentus, t.y. žodžius, sakinius, paragrafus.




Teksto išdėstymas puslapyje


Ištisinis tekstas (B)



Dviejų kolonėlių tekstas




Trijų kolonėlių tekstas




Tekstas ir iliustracijos

1. Uždara iliustracija su išėiga




Iliustracijos trys kraštai ribojasi su tekstu, o ketvirtas išlenda į paraštės pusę. Dažniausiai link išorinio knygos krašto.

2. Atvira iliustracija iki pjūvio




Iliustracija su tekstu ribojasi dviem kraštais ir iškišama į paraštę taip, kad apipjaustant lapą dalis iliustracijos nupjaunama. Tinka tik toms, kurios turi daug foninės informacijos (jūra, dykuma, dangus)

3. Paraštinės




Nedidelės iliustracijos pilnai iškeltos į paraštę.

4. Aklina




Iliustracija esanti teksto viduje, t.y. iš visų pusių ribojasi su tekstu. Tinka tik tada, kai tekstas maketuojamas kolonėlėmis, nes kitaip nebus aišku iš kurios pusės skaityti.

5. Uždara iki krašto (run-in cut).



Kai iliustraciją iš trijų pusių ribojasi su tekstu, o ketvirtas kraštas lygiuojamas su teksto kraštu


6. Uždaro pjūvio



Iliustracija ribojasi su tekstu dviem šonais. Tekstas tampa nebe ištisinis

7. Atviros iliustracijos

7



Iliustracijos, kurios būna tekstinio bloko viršuje arba apačioje, t.y. ribojasi su tekstu tik viena kraštine arba iliustracijos kurios ribojasi su tekstu dviem kraštais bet lygiuojamos su teksto kraštu